

For an explanation of Subnational(S), National(N) and Global(G) Ranks, refer to: www.biodiversity.sk.ca/ranking.htm

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank | S-Rank: | COSEWIC: |
|-------------------|--|---------------------------|---------|--------|---------|----------|
| Liverworts | | | | | | |
| 415312 | <i>Anastrophyllum michauxii</i> | | G4 | NNR | S1 | |
| 403005 | <i>Anastrophyllum minutum</i> | Comb Notchwort | G5 | N5 | S1 | |
| 403006 | <i>Anastrophyllum saxicola</i> | Curled Notchwort | G3G4 | N3N4 | SU | |
| 403007 | <i>Aneura pinguis</i> | Small Greasewort | G5 | N5 | S3 | |
| 403071 | <i>Arnellia fennica</i> | Tundra Liverwort | G5 | NNR | SU | |
| 415304 | <i>Barbilophozia attenuata</i> | | G5 | N5 | SU | |
| 403008 | <i>Barbilophozia barbata</i> | Bearded Pawwort | G5 | N5 | S3 | |
| 403009 | <i>Barbilophozia hatcheri</i> | Hatcher's Pawwort | G5 | N5 | SU | |
| 403010 | <i>Barbilophozia kunzeana</i> | Kunze's Pawwort | G5 | N5 | SU | |
| 415305 | <i>Barbilophozia lycopodioides</i> | Greater Pawwort | G5 | N5 | S3 | |
| 403011 | <i>Blasia pusilla</i> | | G5 | NNR | SU | |
| 403012 | <i>Blepharostoma trichophyllum</i> | Hairy Threadwort | G5 | N5 | S3 | |
| 403013 | <i>Calypogeia integristipula</i> | Meylan's Pouchwort | G4G5 | N4N5 | SU | |
| 403014 | <i>Calypogeia muelleriana</i> | Mueller's Pouchwort | G5 | N5 | SU | |
| 403015 | <i>Calypogeia sphagnicola</i> | Bog Pouchwort | G4 | NNR | S3 | |
| 403016 | <i>Calypogeia suecica</i> | | G5 | NNR | SU | |
| 403017 | <i>Cephalozia ambigua</i> | Snow Pincerwort | G5T3T4 | NNR | SU | |
| | <i>Cephalozia bicuspidata</i> ssp. <i>ambigua</i> | | | | | |
| 403018 | <i>Cephalozia bicuspidata</i> | Two-horned Pincerwort | G5 | N5 | SU | |
| 403019 | <i>Cephalozia connivens</i> | Forcipated Pincerwort | G5 | N4N5 | SU | |
| 403020 | <i>Cephalozia loitlesbergeri</i> | Scissors Pincerwort | G5 | NNR | SU | |
| 403021 | <i>Cephalozia lunulifolia</i> | Moon-leaved Pincerwort | G5 | N5 | S3 | |
| 26731 | <i>Cephalozia macounii</i> | | G3 | NNR | SNR | |
| 403022 | <i>Cephalozia pleniceps</i> | Blunt Pincerwort | G5 | N4N5 | SU | |
| 403023 | <i>Cephaloziella elachista</i> | | G4 | NNR | SU | |
| 403024 | <i>Cephaloziella rubella</i> | Red Threadwort | G5 | N4N5 | SU | |
| 403025 | <i>Cephaloziella spinigera</i> | Spiny Threadwort | G4 | NNR | SU | |
| 403026 | <i>Chiloscyphus minor</i> | Lesser Crestwort | G5 | N5 | SU | |
| 403027 | <i>Chiloscyphus pallescens</i> | Pale Liverwort | G5 | N5 | SU | |
| 403028 | <i>Chiloscyphus polyanthos</i> | Square-leaved Crestwort | G5 | NNR | S1 | |
| 403029 | <i>Chiloscyphus profundus</i> | Variable-leaved Crestwort | G5 | N5 | S3 | |
| | <i>Lophocolea heterophylla</i> | | | | | |

Tracked Taxa List: Non-Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank | S-Rank: | COSEWIC: |
|--------|---|-------------------------------------|---------|--------|---------|----------|
| 403030 | <i>Cladopodiella fluitans</i> | Bog Notchwort | G5 | N5 | SU | |
| 27862 | <i>Conocephalum salebrosum</i> <i>Conocephalum conicum</i> | Liverwort | G5 | N5 | S1 | |
| 403031 | <i>Fossombronina wondraczekii</i> | | G4 | NNR | SU | |
| 403032 | <i>Frullania bolanderi</i> | | G4 | NNR | SU | |
| 403033 | <i>Geocalyx graveolens</i> | Turps Pouchwort | G5 | N5 | SU | |
| 403034 | <i>Gymnocolea inflata</i> | Inflated Notchwort | G5 | N5 | S1 | |
| 403035 | <i>Harpanthus flotovianus</i> | Great Mountain Flapwort | G5 | NNR | SU | |
| 403036 | <i>Jamesoniella autumnalis</i> | Jameson's Liverwort | G5 | N5 | S3 | |
| 415306 | <i>Jungermannia exsertifolia</i> | | G5? | NNR | SU | |
| 415307 | <i>Jungermannia leiantha</i> | | G5 | NNR | SU | |
| 403037 | <i>Leiocolea collaris</i> | Collared Notchwort | G5 | NNR | SU | |
| 403038 | <i>Leiocolea heterocolpos</i> | Whip Notchwort | G5 | N5 | SU | |
| 403039 | <i>Leiomylia anomala</i> <i>Mylia anomala</i> | Anomalous Flapwort | G5 | N5 | S3 | |
| 403040 | <i>Lepidozia reptans</i> | Creeping Fingerwort | G5 | N5 | S3 | |
| 403041 | <i>Lophozia excisa</i> | Cut Notchwort | G5 | N4 | SU | |
| 403042 | <i>Lophozia guttulata</i> | Droplet Notchwort | G4G5 | N4 | SU | |
| 403043 | <i>Lophozia longidens</i> | Horned Notchwort | G5 | N5 | S3 | |
| 26742 | <i>Lophozia rutheana</i> <i>Leiocolea rutheana</i> | Fen Notchwort | G4? | NNR | SU | |
| 403044 | <i>Lophozia ventricosa</i> | Tumid Notchwort | G5 | N5 | S3 | |
| 403045 | <i>Lophozia wenzelii</i> | Wenzel's Notchwort | G4G5 | N4N5 | SU | |
| 403047 | <i>Odontoschisma denudatum</i> | | G5 | NNR | SU | |
| 27269 | <i>Odontoschisma macounii</i> | Macoun's Flapwort | G5 | N5 | SU | |
| 415308 | <i>Pellia neesiana</i> | Nees' Pellia | G5 | N4 | S2 | |
| 403048 | <i>Plagiochila porelloides</i> | Lesser Featherwort | G5 | N5 | S3 | |
| 403049 | <i>Porella platyphylla</i> | | G5 | NNR | SU | |
| 415303 | <i>Preissia quadrata</i> | Narrow-headed Mushroom Liverwort | G5 | N5 | SU | |
| 403051 | <i>Ptilidium pulcherrimum</i> | Tree Fringewort | G5 | N5 | S3 | |
| 403052 | <i>Radula complanata</i> | Flat-leaved Scalewort | G5 | N4N5 | SU | |
| 403053 | <i>Riccardia latifrons</i> | Bog Germanderwort | G4G5 | N4N5 | SU | |
| 403054 | <i>Riccardia multifida</i> | | G5 | NNR | SU | |
| 403055 | <i>Riccardia palmata</i> | Palmate Germanderwort | G5 | NNR | SU | |
| 415340 | <i>Riccia cavernosa</i> | Cavernous Crystalwort | G5 | N3N4 | S1 | |
| 403056 | <i>Riccia fluitans</i> | Floating Crystalwort | G5 | N5 | SU | |
| 402885 | <i>Ricciocarpos natans</i> | Purple-fringed Riccia | G5 | N5 | S1 | |

Tracked Taxa List: Non-Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank | S-Rank: | COSEWIC: |
|---------------|--|----------------------------------|---------|--------|---------|----------|
| 415309 | <i>Scapania apiculata</i> | Pointed Earwort | G5? | NNR | SU | |
| 403058 | <i>Scapania curta</i> | Least Earwort | G5 | NNR | SU | |
| 403059 | <i>Scapania glaucocephala</i> | Glaucous-headed Earwort | G4G5 | NNR | SU | |
| 403060 | <i>Scapania gymnostomophila</i> | Narrow-leaved Earwort | G4 | N3 | SU | |
| 403061 | <i>Scapania irrigua</i> | Heath Earwort | G5 | N5 | SU | |
| 415310 | <i>Scapania mucronata</i> | | G5 | N5 | SU | |
| 403062 | <i>Scapania nemorea</i> | Grove Earwort | G5 | N5 | SU | |
| 403063 | <i>Scapania paludicola</i> | Bog Earwort | G5 | N4 | SU | |
| 403064 | <i>Scapania scandica</i> | Norwegian Earwort | G5? | NNR | SU | |
| 403065 | <i>Scapania uliginosa</i> | Marsh Earwort | G4? | N1N3 | SU | |
| 403066 | <i>Scapania undulata</i> | Water Earwort | G5 | N5 | SU | |
| 403067 | <i>Schistochilopsis grandiretis</i> | Purple-lobed Notchwort | G3? | NNR | SU | |
| 403068 | <i>Schistochilopsis incisa</i> <i>Lophozia incisa</i> | Jagged Notchwort | G5 | N5 | S1 | |
| 415311 | <i>Trichocolea tomentella</i> | Woollywort | G5 | N5 | SU | |
| 403069 | <i>Tritomaria exsectiformis</i> | Large Cut Notchwort | G5 | N5 | SU | |
| 403070 | <i>Tritomaria quinquedentata</i> | Lyon's Notchwort | G5 | N5 | SU | |
| Mosses | | | | | | |
| 10122 | <i>Acaulon muticum var. rufescens</i> | Red Acaulon Moss Acaulon Moss | G4G5T4 | NNR | SNR | |
| 10123 | <i>Acaulon triquetrum</i> | | G2G4 | N1 | SU | |
| 10124 | <i>Aloina brevirostris</i> | Aloina Moss | G4G5 | N4N5 | SU | |
| 10127 | <i>Amblystegium varium</i> | Willow Feather Moss | G5 | N5 | SU | |
| 10128 | <i>Amphidium lapponicum</i> | Lapland Yoke Moss | G5 | N5 | SU | |
| 10129 | <i>Andreaea crassinervia</i> | | G5? | NNR | SU | |
| 10132 | <i>Anomodon rostratus</i> | Anomodon Moss | G5 | NNR | SU | |
| 10134 | <i>Atrichum selwynii</i> | Selwyn's Smoothcap Moss | G5 | N5 | SU | |
| 402938 | <i>Atrichum tenellum</i> | Slender Smoothcap Moss | G4G5 | N4 | SU | |
| 402939 | <i>Aulacomnium androgynum</i> | Little Groove Moss | G5 | N4N5 | SU | |
| 10135 | <i>Aulacomnium turgidum</i> | Turgid Aulacomnium Moss | G5 | N5 | SU | |
| 10136 | <i>Barbula convoluta</i> | Lesser Bird's-claw Beard Moss | G5 | N5 | SU | |
| 10137 | <i>Barbula unguiculata</i> | Prickly Beard Moss | G5 | N5 | SU | |
| 402941 | <i>Bartramia ithyphylla</i> | Straight-leaved Apple Moss | G5 | N5 | SU | |
| 10138 | <i>Bartramia pomiformis</i> | Common Apple Moss | G5 | N5 | SU | |
| 10141 | <i>Brachytheciastrum collinum</i> <i>Brachythecium collinum</i> | Mountain Ragged Moss | G5 | N4N5 | SU | |
| 10139 | <i>Brachythecium acuminatum</i> | Acuminate Ragged Moss | G5 | N5 | SU | |

Tracked Taxa List: Non-Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank | S-Rank: | COSEWIC: |
|--------|---|---|---------|--------|---------|----------|
| 415259 | <i>Brachythecium calcareum</i> | Calcareous Ragged Moss | G3G4 | NNR | SNR | |
| 402943 | <i>Brachythecium digastrum</i> | | G4? | NNR | SU | |
| 10142 | <i>Brachythecium laetum</i> <i>Brachythecium oxycladon</i> | Long-capsuled Ragged Moss | G5 | N5 | SU | |
| 10143 | <i>Brachythecium plumosum</i> <i>Sciuro-hypnum plumosum</i> | Rusty Ragged Moss | G5 | N5 | SU | |
| 10145 | <i>Brachythecium rivulare</i> | Waterside Feather Moss Common Verdant Moss | G5 | N5 | SU | |
| 10146 | <i>Brachythecium rutabulum</i> | Rough-stalked Ragged Moss | G5 | N5 | SU | |
| 402944 | <i>Brachythecium udum</i> <i>Brachythecium mildeanum</i> | Sand Ragged Moss | G5 | N5 | SU | |
| 402945 | <i>Bryoerythrophyllum recurvirostrum</i> <i>Bryoerythrophyllum recurvirostre</i> | Red Beard Moss | G5 | N5 | SU | |
| 10354 | <i>Bryohaplocladium virginianum</i> <i>Haplocladium virginianum</i> | Virginia Haplocladium Moss | G5 | NNR | SU | |
| 10149 | <i>Bryum algovicum</i> <i>Ptychostomum pendulum</i> | Drooping Bryum | G5 | N5 | SU | |
| 10150 | <i>Bryum arcticum</i> | Arctic Bryum | G5? | N4 | SU | |
| 10153 | <i>Bryum capillare</i> <i>Rosulabryum capillare</i> | Capillary Bryum | G5 | N5 | SU | |
| 10163 | <i>Bryum dichotomum</i> <i>Bryum bicolor</i> <i>Gemmabryum dichotomum</i> | Bicoloured Bryum | G3G5 | N3N4 | SU | |
| 402947 | <i>Bryum imbricatum</i> | Imbricated Bryum | GNR | N3 | SU | |
| 10161 | <i>Bryum lisae</i> | Lisa's Bryum | G5 | N5 | SU | |
| 10162 | <i>Bryum lisae</i> var. <i>cuspidatum</i> <i>Ptychostomum creberrimum</i> <i>Bryum cuspidatum</i> | Tight-tufted Bryum | G5T5 | N5 | SU | |
| 10159 | <i>Bryum turbinatum</i> <i>Ptychostomum turbinatum</i> | Top-shaped Bryum | G5 | N4N5 | SU | |
| 10160 | <i>Bryum uliginosum</i> <i>Ptychostomum cernuum</i> | Swamp Bryum | G3G5 | N4N5 | SU | |
| 402985 | <i>Bucklandiella heterosticha</i> <i>Racomitrium heterostichum</i> | Yellow-green Rock Moss | G5 | N5 | SU | |
| 402986 | <i>Bucklandiella sudetica</i> <i>Racomitrium sudeticum</i> | Narrow-leaved Rock Moss | G5 | N5 | SU | |
| 402948 | <i>Buxbaumia aphylla</i> | Brown Shield Moss | G4G5 | N4N5 | SU | |
| 10169 | <i>Calliergon obtusifolium</i> | | G3G4 | NNR | SU | |
| 10167 | <i>Calliergon richardsonii</i> | Richardson's Water Moss Gold Spoon Moss | G5 | N4 | SU | |

Tracked Taxa List: Non-Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank | S-Rank: | COSEWIC: |
|--------|--|---|---------|--------|---------|----------|
| 10170 | <i>Calliergonella cuspidata</i> | Common Large Wetland Moss | G5 | N5 | SU | |
| 10171 | <i>Campylium chrysophyllum</i> <i>Campyliadelphus chrysophyllus</i> | Golden Creeping Moss | G5 | N5 | SU | |
| 10174 | <i>Campylium radicale</i> <i>Pseudocampylium radicale</i> | Long-stalked Fine Wet Moss | G3G5 | N3N4 | SU | |
| 10172 | <i>Campylophyllum hispidulum</i> <i>Campylium hispidulum</i> | False Willow Moss | G5 | N5 | SU | |
| 10176 | <i>Catoscopium nigratum</i> | Golf Club Moss Black-fruited Weissia | G5 | N5 | SU | |
| 415267 | <i>Climacium americanum</i> | American Tree Moss | G5 | N3 | SNR | |
| 10180 | <i>Conardia compacta</i> | Coast Creeping Moss | G5 | N5 | SU | |
| 402951 | <i>Cynodontium alpestre</i> | Mountain Dogtooth Moss | G3G5 | NNR | SU | |
| 402952 | <i>Cynodontium schisti</i> | Hairy Dogtooth Moss | G3G5 | N3N4 | SU | |
| 10183 | <i>Desmatodon cernuus</i> | | G3G5Q | NNR | SNR | |
| 10184 | <i>Desmatodon heimii</i> <i>Henediella heimii</i> | Heim's Chain-teeth Moss | G5 | N5 | SU | |
| 402954 | <i>Dichelyma falcatum</i> | Lance-leaved Claw Moss | G4G5 | N4N5 | SU | |
| 10186 | <i>Dicranella heteromalla</i> | Silky Forklet Moss | G5 | N5 | SU | |
| 402955 | <i>Dicranella schreberiana</i> <i>Dicranella grevilleana</i> | Schreber's Forklet Moss | GNR | NNR | SU | |
| 10187 | <i>Dicranella varia</i> | Variable Forklet Moss | G5 | N5 | SU | |
| 10189 | <i>Dicranum acutifolium</i> | Sharp-leaved Cushion Moss | G5 | N5 | SU | |
| 10190 | <i>Dicranum angustum</i> | | G5? | N2 | SNR | |
| 10191 | <i>Dicranum bonjeanii</i> | Bonjean's Broom Moss | G4G5 | N4N5 | SU | |
| 10192 | <i>Dicranum elongatum</i> | Long-forked Broom Moss | G5 | N5 | SU | |
| 10194 | <i>Dicranum fragilifolium</i> | Fragile Cushion Moss | G4G5 | N4N5 | SU | |
| 402956 | <i>Dicranum groenlandicum</i> | Greenland Broom Moss | G5 | N5 | SU | |
| 402957 | <i>Dicranum muehlenbeckii</i> | Muehlenberg's Broom Moss | G5 | N5 | SU | |
| 10201 | <i>Dicranum ontariense</i> | Ontario Broom Moss | G5 | N5 | SU | |
| 402958 | <i>Dicranum spadiceum</i> | Confusing Broom Moss | G5 | N5 | SU | |
| 10199 | <i>Dicranum tauricum</i> | Fragile Broom Moss | G4G5 | N4N5 | SU | |
| 10202 | <i>Didymodon fallax</i> | | G5 | N5 | SU | |
| 415273 | <i>Didymodon rigidulus</i> var. <i>gracilis</i> | Rigid Beard Moss | G5TNR | NNR | SU | |
| 10204 | <i>Distichium inclinatum</i> | Inclined Iris Moss | G5 | N5 | SU | |
| 10205 | <i>Ditrichum ambiguum</i> | Ambiguous Ditrichum Moss | G4? | N3N4 | SU | |
| 10207 | <i>Ditrichum pusillum</i> | | G5 | NNR | SU | |
| 402960 | <i>Encalypta brevicollis</i> <i>Encalypta brevicolla</i> | White-mouthed Extinguisher Moss | G4 | N4 | SU | |

Tracked Taxa List: Non-Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank | S-Rank: | COSEWIC: |
|--------|--|-------------------------------|---------|--------|---------|-----------------|
| 402961 | <i>Encalypta procera</i> | Slender Candlesnuffer Moss | G5 | N5 | SU | |
| 402962 | <i>Encalypta raptocarpa</i> | Ribbed Candlesnuffer Moss | G5 | N5 | SU | |
| 402963 | <i>Encalypta vulgaris</i> | Common Extinguisher Moss | G5 | NNR | SU | |
| 402821 | <i>Entosthodon rubiginosus</i> | Rusty Cord-moss | G1G3 | N1 | S1 | Special Concern |
| 402964 | <i>Ephemerum crassinervium</i> | | G4 | NNR | SU | |
| 10212 | <i>Ephemerum serratum</i> | Serrated Earth Moss | G4 | N3N4 | SU | |
| 10213 | <i>Ephemerum spinulosum</i> | Emerald Dewdrops | G4G5 | NNR | SU | |
| 10215 | <i>Fissidens adianthoides</i> | Maidenhair Pocket Moss | G5 | N5 | SU | |
| 10216 | <i>Fissidens bryoides</i> | | G5 | NNR | SU | |
| 402965 | <i>Fissidens osmundioides</i> <i>Fissidens osmundoides</i> | Purple-stalked Pocket Moss | G5 | N5 | SU | |
| 10217 | <i>Fissidens pauperculus</i> | Poor Pocket Moss | G3? | N1 | SU | |
| 402966 | <i>Fontinalis dalecarlica</i> | Slender Water Moss | G5 | N5 | SU | |
| 415276 | <i>Fontinalis hypnoides</i> var. <i>duriaei</i> | River moss | G5TNR | NNR | SU | |
| 10222 | <i>Grimmia anodon</i> | Toothless Grimmia | G5 | N5 | SU | |
| 10223 | <i>Grimmia donniana</i> | Donn's Grimmia Moss | G4G5 | N4 | SU | |
| 10221 | <i>Grimmia longirostris</i> <i>Grimmia affinis</i> | Long-beaked Grimmia | G5 | N5 | SU | |
| 10224 | <i>Grimmia plagiopodia</i> | Northern Great Plains Grimmia | G4G5 | N4 | SU | |
| 402967 | <i>Grimmia teretinervis</i> | Round-nerved Grimmia | G3G5 | NNR | SU | |
| 10225 | <i>Gymnostomum aeruginosum</i> | Bluish-green Beardless Moss | G5 | N5 | SU | |
| 10226 | <i>Hedwigia ciliata</i> | Ciliate Hedwig's Moss | G5 | N5 | SU | |
| 402968 | <i>Herzogiella seligeri</i> | Seliger's Stump Moss | G3G4 | N3N4 | SU | |
| 402969 | <i>Herzogiella striatella</i> | Round Stump Moss | G4G5 | NNR | SU | |
| 10228 | <i>Herzogiella turfacea</i> | Flat Stump Moss | G5 | N5 | SU | |
| 10229 | <i>Homomallium adnatum</i> | Adnate Hairy-gray Moss | G3G5 | NNR | SU | |
| 402971 | <i>Hygroamblystegium varium</i> var. <i>humile</i> <i>Leptodictyum humile</i> | Constricted Feather Moss | G5 | N5 | SU | |
| 10231 | <i>Hygrohypnum luridum</i> | Drab Brook Moss | G5 | N5 | SU | |
| 10233 | <i>Hypnum bambergeri</i> | Bamberger's Golden Plait Moss | G4G5 | N4N5 | SU | |
| 10234 | <i>Hypnum cupressiforme</i> | Cypress Pigtail Moss | G5 | N5 | SU | |
| 402970 | <i>Hypnum fauriei</i> <i>Hypnum fertile</i> | | G5 | N3N4 | SU | |
| 10240 | <i>Hypnum recurvatum</i> | Recurved Plait Moss | G3G5 | NNR | SU | |
| 10238 | <i>Hypnum revolutum</i> | Rolled-leaf Pigtail Moss | G5 | N5 | SU | |
| 10239 | <i>Hypnum vaucheri</i> | Vaucher's Plait Moss | G5 | N4N5 | SU | |
| 10243 | <i>Leptodictyum riparium</i> <i>Amblystegium riparium</i> | Riparian Feather Moss | G5 | N5 | SU | |

Tracked Taxa List: Non-Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank | S-Rank: | COSEWIC: |
|--------|---|-------------------------------|---------|--------|---------|----------|
| 10244 | <i>Leskea obscura</i> | Blunt Leske's Moss | G5 | N2N3 | SU | |
| 10245 | <i>Leskea polycarpa</i> | Many-fruited Leske's Moss | G5 | N5 | SU | |
| 10246 | <i>Leskeella nervosa</i> | Nerved Leske's Moss | G5 | N5 | SU | |
| 402973 | <i>Loeskypnum badium</i> | Sickle-leaved Loeskypnum Moss | G4G5 | N4N5 | SU | |
| 10247 | <i>Meesia longiseta</i> | Long-stalked Thread Moss | G5 | N5 | SU | |
| 10253 | <i>Mnium ambiguum</i> <i>Mnium lycopodioides</i> | Ambiguous Leafy Moss | G5 | N5 | SU | |
| 10250 | <i>Mnium marginatum</i> | Edged Lantern Moss | G5 | N5 | SU | |
| 10252 | <i>Mnium stellare</i> | Stellar Calcareous Moss | G5 | NNR | SU | |
| 402974 | <i>Mnium thomsonii</i> | Thomson's Leafy Moss | G5 | N5 | SU | |
| 10254 | <i>Myurella julacea</i> Round Moss | Small Mouse-tail Moss | G5 | N5 | SU | |
| 402975 | <i>Neckera pennata</i> | Feathery Neckera Moss | G5 | N5 | SU | |
| 402984 | <i>Niphotrichum canescens</i> <i>Racomitrium canescens</i> | Grey Rock Moss | G5 | N5 | SU | |
| 10255 | <i>Oncophorus virens</i> | Green Spur-fruited Fork Moss | G5 | N5 | SU | |
| 10257 | <i>Orthothecium chryseum</i> | Golden Erect-capsule Moss | G5 | N5 | SU | |
| 402976 | <i>Orthotrichum affine</i> | Wood Bristle Moss | G3G5 | NNR | SU | |
| 10258 | <i>Orthotrichum anomalum</i> | Anomalous Bristle Moss | G5 | N5 | SU | |
| 402977 | <i>Orthotrichum laevigatum</i> | Smooth Bristle Moss | G5 | N5 | SU | |
| 10260 | <i>Orthotrichum pumilum</i> | Dwarf Bristle Moss | G5 | NNR | SU | |
| 10261 | <i>Orthotrichum strangulatum</i> | Strangulate Orthotrichum Moss | G4 | NNR | SU | |
| 10345 | <i>Palustriella commutata</i> | Sickle-leaved Tufa Moss | G4G5 | NNR | SU | |
| 10263 | <i>Paraleucobryum longifolium</i> | Long-leaved Notchleaf Moss | G5 | N5 | SU | |
| 10264 | <i>Phascum cuspidatum</i> <i>Tortula acaulon</i> | Cuspidate Earth Moss | G5 | N4 | SU | |
| 10266 | <i>Philonotis fontana</i> var. <i>americana</i> | American Philonotis Moss | G5TNR | NNR | SNR | |
| 10267 | <i>Philonotis fontana</i> var. <i>pumila</i> | Philonotis Moss | G5T4T5 | NNR | SNR | |
| 10268 | <i>Physcomitrium hookeri</i> | Hooker's Urn Moss | G2G4 | NNR | SU | |
| 10269 | <i>Physcomitrium pyriforme</i> | Pear-shaped Urn Moss | G5 | N5 | SU | |
| 10341 | <i>Plagiomnium ciliare</i> | Toothed Mnium | G5 | N5 | SU | |
| 10270 | <i>Plagiopus oederianus</i> <i>Plagiopus oederiana</i> | Oeder's Apple Moss | G5 | N5 | SU | |
| 10272 | <i>Platydictya jungermannioides</i> | False Willow Moss | G5 | N5 | SU | |
| 10275 | <i>Pogonatum urnigerum</i> | Urn Hair Moss | G5 | N5 | SU | |
| 10276 | <i>Pohlia bulbifera</i> | Blunt-bud Nodding Moss | G5 | N5 | SU | |
| 10277 | <i>Pohlia cruda</i> | Glaucous Thread Moss | G5 | N5 | S3 | |
| 10278 | <i>Pohlia drummondii</i> | Drummond's Nodding Moss | G4 | N4 | SU | |

Tracked Taxa List: Non-Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank | S-Rank: | COSEWIC: |
|--------|--|----------------------------|---------|--------|---------|------------|
| 10284 | <i>Pohlia filum</i> | Slender Nodding Moss | G4G5 | N4N5 | SU | |
| 10280 | <i>Pohlia prolifera</i> | Cottony Nodding Moss | G4G5 | N4N5 | SU | |
| 10281 | <i>Pohlia sphagnicola</i> | Pohlia Moss | G3?Q | N3N4 | SNR | |
| 10282 | <i>Pohlia vexans</i> | Northwestern Nodding Moss | G3G5 | N3 | SU | |
| 10283 | <i>Pohlia wahlenbergii</i> | Pale-leaved Thread Moss | G5 | N5 | S3 | |
| 402980 | <i>Polytrichastrum formosum</i> <i>Polytrichum formosum</i> | Bank Haircap Moss | G5 | N5 | SU | |
| 402981 | <i>Polytrichastrum pallidisetum</i> <i>Polytrichum pallidisetum</i> | | G4 | NNR | SU | |
| 10287 | <i>Polytrichum longisetum</i> <i>Polytrichastrum longisetum</i> | Long-stalked Haircap Moss | G5 | NNR | SU | |
| 10355 | <i>Pseudobryum cinclidioides</i> | River Thyme Moss | G5 | NNR | SU | |
| 10360 | <i>Pseudocalliergon turgescens</i> <i>Scorpidium turgescens</i> | Turgid Scorpion Moss | G4G5 | N4N5 | SU | |
| 402982 | <i>Pseudoleskea incurvata</i> | Brown Mountain Leskea Moss | G5 | N4 | SU | |
| 402983 | <i>Pseudoleskea patens</i> <i>Lescuraea patens</i> | Patent Leske's Moss | G5 | N4 | SU | |
| 10293 | <i>Pseudoleskeella tectorum</i> | Rooftop Leske's Moss | G5 | N4N5 | SU | |
| 10294 | <i>Pterigynandrum filiforme</i> | Capillary Wing Moss | G5 | N5 | SU | |
| 13082 | <i>Pterygoneurum kozlovii</i> | Alkaline Wing-nerved Moss | G2G3 | N2 | SU | Threatened |
| 10295 | <i>Pterygoneurum ovatum</i> | Oval Chalk Moss | G5 | N3N4 | SU | |
| 10296 | <i>Pterygoneurum subsessile</i> | Woolly Caterpillar Moss | G4? | N3N4 | SU | |
| 10154 | <i>Ptychostomum knowltonii</i> <i>Bryum knowltonii</i> | Knowlton's Bryum | G5 | N4 | SU | |
| 10156 | <i>Ptychostomum pallescens</i> <i>Bryum pallescens</i> | Tall Clustered Bryum | G5 | N5 | SU | |
| 10359 | <i>Rhizomnium magnifolium</i> | Large-leaved Leafy Moss | G5 | N5 | SU | |
| 10358 | <i>Rhizomnium punctatum</i> | Dotted Leafy Moss | G5 | N5 | SU | |
| 402987 | <i>Rhodobryum ontariense</i> | | G5 | NNR | SU | |
| 402988 | <i>Sarmentypnum sarmentosum</i> | Twiggy Spoon Moss | G5 | N5 | SU | |
| 415290 | <i>Schistidium agassizii</i> | Agassiz's Bloom Moss | G3G5 | NNR | SNR | |
| 402989 | <i>Schistidium boreale</i> | Boreal Bloom Moss | G4 | N3N4 | SU | |
| 402990 | <i>Schistidium pulchrum</i> | Showy Bloom Moss | GU | N3N5 | SU | |
| 402991 | <i>Schistidium tenerum</i> | Slender Bloom Moss | G5? | N3N4 | SU | |
| 402972 | <i>Scorpidium cossonii</i> <i>Limprichtia cossonii</i> | Cosson's Hook Moss | G5 | N4N5 | SU | |
| 10302 | <i>Sphagnum annulatum</i> | Ringed Peat Moss | GNR | NNR | SU | |
| 10303 | <i>Sphagnum balticum</i> | Baltic Sphagnum | G5 | N4N5 | SU | |

Tracked Taxa List: Non-Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank | S-Rank: | COSEWIC: |
|--------|--|--|---------|--------|---------|----------|
| 10305 | <i>Sphagnum centrale</i> | Central Peatmoss | G5 | N4N5 | SU | |
| 10306 | <i>Sphagnum compactum</i> | Compact Sphagnum Moss | G5 | N5 | SU | |
| 415292 | <i>Sphagnum contortum</i> | Twisted Peat Moss | G5 | N3N4 | SNR | |
| 10322 | <i>Sphagnum fallax</i> | Flat-topped Sphagnum Moss | G5 | N5 | SU | |
| 402992 | <i>Sphagnum fimbriatum</i> | Fringed Bogmoss | G5 | N5 | SU | |
| 10321 | <i>Sphagnum jensenii</i> | Pendant Branch Peat Moss | G4G5 | N4 | SU | |
| 10309 | <i>Sphagnum lindbergii</i> | Lindberg's Peat Moss | G5 | N5 | SU | |
| 10311 | <i>Sphagnum majus</i> | Greater Peat Moss | G5 | N5 | SU | |
| 10312 | <i>Sphagnum obtusum</i> | Obtuse Peat Moss | G3G5 | N3N5 | SU | |
| 10313 | <i>Sphagnum platyphyllum</i> | Flat-leaved Peat Moss | G5 | N3N4 | SU | |
| 402993 | <i>Sphagnum quinquefarium</i> | Five-ranked Bogmoss | GNR | NNR | SU | |
| 402994 | <i>Sphagnum recurvum</i> | Recurved Peatmoss | G5 | N4 | SU | |
| 402995 | <i>Sphagnum subsecundum</i> | Orange Peat Moss | G5 | N5 | SU | |
| 415296 | <i>Sphagnum tenerum</i> | Tender Peat Moss | G5 | N3 | SNR | |
| 10319 | <i>Sphagnum wulfianum</i> | Wulf's Peatmoss | G5 | N5 | SU | |
| 10323 | <i>Splachnum ampullaceum</i> | Cruet Dung Moss | G5 | N5 | SU | |
| 10325 | <i>Splachnum rubrum</i> | Red Collar Moss | G5 | N5 | SU | |
| 402996 | <i>Splachnum sphaericum</i> | Round-fruited Dung Moss | G4G5 | N4 | SU | |
| 10168 | <i>Stramineuron stramineum</i> <i>Calliergon stramineum</i> | Straw-coloured Water Moss Straw-like Feather Moss | G5 | N5 | SU | |
| 10326 | <i>Taxiphyllum deplanatum</i> | Imbricate Yew-leaved Moss | G4G5 | NNR | SU | |
| 10327 | <i>Tayloria lingulata</i> | Tongue-leaved Trumpet Moss | G4G5 | N4 | SU | |
| 402997 | <i>Tayloria serrata</i> | Serrate Trumpet Moss | G4 | NNR | SU | |
| 10332 | <i>Timmia austriaca</i> | Austria Timmia Moss | G5 | N5 | SU | |
| 415298 | <i>Timmia megapolitana ssp. bavarica</i> | Bavarian Timmia Moss | G5T5? | N5 | SU | |
| 403000 | <i>Tomentypnum falcifolium</i> | Sickle-leaved Golden Moss | G3G5 | NNR | SU | |
| 403002 | <i>Tortula cernua</i> | Narrow-leaved Screw Moss | G4G5 | N4 | SU | |
| 415299 | <i>Tortula modica</i> <i>Pottia intermedia</i> | | G3G5 | NNR | SNR | |
| 10291 | <i>Tortula nevadensis</i> <i>Pottia nevadensis</i> | | G4 | NNR | SU | |
| 10185 | <i>Tortula obtusifolia</i> <i>Desmatodon obtusifolius</i> | Obtuse-leaved Screw Moss | G5 | N3N4 | SU | |
| 10290 | <i>Tortula protobryoides</i> <i>Pottia bryoides</i> | | G5? | NNR | SU | |
| 10292 | <i>Tortula truncata</i> <i>Pottia truncata</i> | | G3G5 | NNR | SU | |
| 10337 | <i>Ulota crispa</i> | Crisped Pincushion Moss | G5 | N5 | SU | |

Tracked Taxa List: Non-Vascular Plants

| ID: | Scientific Name: | Common Name: | G-Rank: | N-Rank | S-Rank: | COSEWIC: |
|--------|---|------------------------------|---------|--------|---------|----------|
| 10338 | <i>Uloa curvifolia</i> | Curve-leaved Pincushion Moss | G3G5 | N3N4 | SU | |
| 403003 | <i>Warnstorfia pseudostraminea</i> | Spring Hook Moss | G3G4 | N3N4 | SU | |
| 10339 | <i>Weissia controversa</i> | Green-tufted Stubble Moss | G5 | N4N5 | SU | |
| 403004 | <i>Weissia muhlenbergiana</i> <i>Astomum muhlenbergianum</i> | Mühlenberg's Weissia | G5 | NNR | SU | |
| 10133 | <i>Weissia phascopsis</i> <i>Astomum phascoides</i> | Phascum-like Weissia | G3G4 | N2N3 | SU | |